L Number	Hits	Search Text	DB	Time stamp
5	59303	(class\$2 near\$2 service\$1) same called	USPAT;	2003/03/19 10:29
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
6	26160	(class\$2 near\$2 service\$1) with called	USPAT;	2003/03/19 10:30
	1		EPO; JPO;	
			DERWENT;]
			IBM_TDB]
7	2360391	(class\$2 near\$2 service\$1) near\$3 called	USPAT;	2003/03/19 10:30
	·		EPO; JPO;	
			DERWENT;	1
	000000		IBM_TDB	
8	2323361	(class\$2 near\$2 service\$1) near\$2 called	USPAT;	2003/03/19 10:30
			EPO; JPO;	
1			DERWENT;	
9	4081	(class\$2 near\$2 service\$1) near called	IBM_TDB	2002/02/10 10-32
	4001	(Classyz Hearyz Servicey) Hear Carred	USPAT;	2003/03/19 10:32
ļ i			EPO; JPO; DERWENT;	
			IBM TDB	
10	39	(class\$2 near service\$1) near called	USPAT;	2003/03/19 10:32
1		(Classyz Medi Sciviceyi) Medi called	EPO; JPO;	2003/03/19 10:32
			DERWENT;	
			IBM TDB	
12	0	(camp adj on) same hold	USPAT;	2003/03/19 12:00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
13	229	camp same hold	USPAT;	2003/03/19 12:00
1			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
14	58	/	USPAT;	2003/03/19 12:00
1		phone\$1)	EPO; JPO;	
			DERWENT;	
17	6064		IBM_TDB	
1'	6064	(voice adj mail) or voice-mail or voicemail	USPAT;	2003/03/19 13:06
		Voicemail	EPO; JPO;	
			DERWENT;	
18	699	((voice adj mail) or voice-mail or	IBM_TDB USPAT;	2003/03/19 13:07
1 ***	000	voicemail) and queue	EPO; JPO;	2003/03/19 13.07
	ļ		DERWENT;	
			IBM TDB	
19	683	(((voice adj mail) or voice-mail or	USPAT;	2003/03/19 13:08
		voicemail) and queue) and (telephone\$1 or	EPO; JPO;	
		phone\$1)	DERWENT;	
	}		IBM_TDB	
20	61	(voicemail or voice-mail) same password	USPAT;	2003/03/19 14:01
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
21	5	(voicemail or voice-mail) same password	USPAT;	2003/03/19 14:04
		same verif\$3	EPO; JPO;	
			DERWENT;	
22	40	(voicemail on voice weil) and (see	IBM TDB	0000 /00 /10 1 : ==
44	40	(voicemail or voice-mail) and (password same verif\$3)	USPAT;	2003/03/19 14:05
		Same veritias)	EPO; JPO; DERWENT;	
			IBM TDB	
23	35	((voicemail or voice-mail) and (password	USPAT;	2003/03/19 14:05
		same verif\$3)) not ((voicemail or	EPO; JPO;	2003/03/19 14:03
		voice-mail) same password same verif\$3)	DERWENT;	
[}	passing same verifys)	IBM TDB	
-	0	((379/86).CCLS.) and priorit\$4	USPAT;	2003/03/18 13:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

-	0	((379/86).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 13:37
	•	privilege\$1)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	51	((379/88.01).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 14:07
		privilege\$1)	EPO; JPO;	
			DERWENT;	
		- -	IBM TDB	
-	31	((379/88.02).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 14:13
		privilege\$1)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	22		USPAT;	2003/03/18 14:12
		privilege\$1)) not (((379/88.01).CCLS.) and	EPO; JPO;	
		(priorit\$4 or privilege\$1))	DERWENT;	
			IBM TDB	
-	26	((379/88.04).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 14:21
		privilege\$1)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	25	(((379/88.04).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 14:21
		privilege\$1)) not ((((379/88.01).CCLS.)	EPO; JPO;	2000,00,10 11.21
		and (priorit\$4 or privilege\$1)) and	DERWENT;	
		(((379/88.02).CCLS.) and (priorit\$4 or	IBM TDB	
		privilege\$1)))	15.1_155	
_	42		USPAT:	2003/03/18 14:33
		privilege\$1)	EPO; JPO;	2003/03/10 14:55
		PIIVIIOGOVI	DERWENT;	
			IBM TDB	
_	42	(((379/88.18).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 14:33
	12	privilege\$1)) not ((((379/88.01).CCLS.)	EPO; JPO;	2003/03/18 14.33
		and (priorit\$4 or privilege\$1)) and	DERWENT;	
		(((379/88.02).CCLS.) and (priorit\$4 or		
		privilege\$1)) and ((((379/88.04).CCLS.)	IBM_TDB	
		and (priorit\$4 or privilege\$1)) not		
		((((379/88.01).CCLS.) and (priorit\$4 or		
	-	privilege\$1)) and (((379/88.02).CCLS.) and		
		(priorit\$4 or privilege\$1)))))		
_	48		Hanam.	2003/03/10 14 40
	40	((379/88.19).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 14:40
		privilege\$1)	EPO; JPO;	
			DERWENT;	
	48	///270/00 10) CCIC) and /minute(4	IBM_TDB	2002/02/10 14 22
-	48	(((379/88.19).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 14:33
		privilege\$1)) not ((((379/88.01).CCLS.)	EPO; JPO;	
		and (priorit\$4 or privilege\$1)) and	DERWENT;	
1		(((379/88.02).CCLS.) and (priorit\$4 or	IBM_TDB	
		privilege\$1)) and ((((379/88.04).CCLS.)		
		and (priorit\$4 or privilege\$1)) not		
		((((379/88.01).CCLS.) and (priorit\$4 or		
		privilege\$1)) and (((379/88.02).CCLS.) and		
		(priorit\$4 or privilege\$1)))) and		
		((((379/88.18).CCLS.) and (priorit\$4 or		
		privilege\$1)) not ((((379/88.01).CCLS.)		
		and (priorit\$4 or privilege\$1)) and		
		(((379/88.02).CCLS.) and (priorit\$4 or		
		privilege\$1)) and ((((379/88.04).CCLS.)	}	
		and (priorit\$4 or privilege\$1)) not		
		((((379/88.01).CCLS.) and (priorit\$4 or		
		privilege\$1)) and (((379/88.02).CCLS.) and		
	1	(priorit\$4 or privilege\$1))))))	I	1

_	0	((((379/88.19).CCLS.) and (priorit\$4 or privilege\$1)) not (((379/88.01).CCLS.)	USPAT; EPO; JPO;	2003/03/18 14:34
		and (priorit\$4 or privilege\$1)) and (((379/88.02).CCLS.) and (priorit\$4 or	DERWENT; IBM_TDB	
		privilege\$1)) and ((((379/88.04).CCLS.) and (priorit\$4 or privilege\$1)) not		
		(((((379/88.01).CCLS.) and (priorit\$4 or privilege\$1)) and (((379/88.02).CCLS.) and		
		(priorit\$4 or privilege\$1)))) and ((((379/88.18).CCLS.) and (priorit\$4 or		
		privilege\$1)) not ((((379/88.01).CCLS.)		
		and (priorit\$4 or privilege\$1)) and (((379/88.02).CCLS.) and (priorit\$4 or		
		privilege\$1)) and ((((379/88.04).CCLS.) and (priorit\$4 or privilege\$1)) not		
		(((((379/88.01).CCLS.) and (priorit\$4 or privilege\$1)) and (((379/88.02).CCLS.) and		
		(priorit\$4 or privilege\$1))))))) and		
~	47	mesage\$1 ((((379/88.19).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 14:34
		privilege\$1)) not ((((379/88.01).CCLS.) and (priorit\$4 or privilege\$1)) and	EPO; JPO; DERWENT;	
		(((379/88.02).CCLS.) and (priorit\$4 or privilege\$1)) and (((379/88.04).CCLS.)	IBM_TDB	
		and (priorit\$4 or privilege\$1)) not ((((379/88.01).CCLS.) and (priorit\$4 or		
		privilege\$1)) and (((379/88.02).CCLS.) and		
		(priorit\$4 or privilege\$1)))) and ((((379/88.18).CCLS.) and (priorit\$4 or		
		privilege\$1)) not ((((379/88.01).CCLS.) and (priorit\$4 or privilege\$1)) and		
		(((379/88.02).CCLS.) and (priorit\$4 or privilege\$1)) and (((379/88.04).CCLS.)		
		and (priorit\$4 or privilege\$1)) not		
		(((((379/88.01).CCLS.) and (priorit\$4 or privilege\$1)) and (((379/88.02).CCLS.) and		
		<pre>(priorit\$4 or privilege\$1))))))) and message\$1</pre>		
-	16	((((((379/88.19).CCLS.) and (priorit\$4 or privilege\$1)) not ((((379/88.01).CCLS.)	USPAT; EPO; JPO;	2003/03/18 14:40
		and (priorit\$4 or privilege\$1)) and (((379/88.02).CCLS.) and (priorit\$4 or	DERWENT; IBM TDB	
		privilege\$1)) and ((((379/88.04).CCLS.)	IDM_IDD	
		and (priorit\$4 or privilege\$1)) not ((((379/88.01).CCLS.) and (priorit\$4 or		
		privilege\$1)) and (((379/88.02).CCLS.) and (priorit\$4 or privilege\$1)))) and		
		(((((379/88.18).CCLS.) and (priorit\$4 or privilege\$1)) not ((((379/88.01).CCLS.)		
		and (priorit\$4 or privilege\$1)) and (((379/88.02).CCLS.) and (priorit\$4 or		
		privilege\$1)) and ((((379/88.04).CCLS.)		
		and (priorit\$4 or privilege\$1)) not ((((379/88.01).CCLS.) and (priorit\$4 or		
		<pre>privilege\$1)) and (((379/88.02).CCLS.) and (priorit\$4 or privilege\$1))))))) and</pre>		
-	26	message\$1) and queue\$1 ((379/88.2).CCLS.) and (priorit\$4 or	USPAT;	2003/03/18 14:45
		privilege\$1)	EPO; JPO; DERWENT;	
_	39	((379/88.21).CCLS.) and (priorit\$4 or	IBM_TDB USPAT;	2002/02/10 14:51
	39	privilege\$1)	EPO; JPO;	2003/03/18 14:51
			DERWENT; IBM_TDB	
_	15136	messag\$3 and queue\$1	USPAT; EPO; JPO;	2003/03/18 14:52
			DERWENT; IBM TDB	
·	1		1 100	L

-	17260	<pre>messag\$3 same (unavailable or down or busy or ("not" adj available))</pre>	USPAT; EPO; JPO; DERWENT;	2003/03/18 15:00
_	896		IBM_TDB USPAT;	2003/03/18 14:57
		busy or ("not" adj available))) same queue	EPO; JPO; DERWENT; IBM TDB	
-	505	((messag\$3 same (unavailable or down or busy or ("not" adj available))) same queue) and (priorit\$4 or privilege\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/18 14:57
_	990	(messag\$3 same (unavailable or down or busy or ("not" adj available))) same queue\$1	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/18 14:58
_	551	((messag\$3 same (unavailable or down or busy or ("not" adj available))) same queue\$1) and (priorit\$4 or privilege\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/18 14:59
_	551	((messag\$3 same (unavailable or down or busy or ("not" adj available))) same queue\$1) and (priorit\$4 or privilege\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/18 14:59
-	0	(((messag\$3 same (unavailable or down or busy or ("not" adj available))) same queue\$1) and (priorit\$4 or privilege\$1)) and (class adj of adj service41)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/18 15:00
-	10331		USPAT; EPO; JPO; DERWENT;	2003/03/18 15:00
-	737	(voice adj messag\$3) same (unavailable or down or busy or ("not" adj available))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/18 15:00
_	841	(voice adj messag\$3) same (unavailable or down or busy or ("not" adj available) or accessible)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/18 15:01
-	127	(voice adj messag\$3) same unavailable	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/18 15:01
-	38	((voice adj messag\$3) same unavailable) and queue\$1	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/18 16:29
_	0	(class\$2 adj of adj service\$1) same queu\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/18 16:41
_	632	((class\$2 adj of adj service\$1) or cos) same queu\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/18 16:33
-	632	((class\$2 adj of adj service\$1) or "cos") same queu\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/18 16:32
_	6830184	((class\$2 adj of adj service\$1) or cos) near\$3 queu\$3	IBM TDB USPAT; EPO; JPO; DERWENT;	2003/03/18 16:33
_	24	((class\$2 adj of adj service\$1) or cos) near queu\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/18 16:34
	L	I	IBM_TDB	<u>l</u>

-	0	(class\$2 adj of adj service\$1) and queu\$3	USPAT;	2003/03/18 16:42
			EPO; JPO;	
			DERWENT;	
ĺ			IBM TDB	
-	0	class\$2 adj of adj service\$1	USPAT;	2003/03/18 16:42
			EPO; JPO;	
			DERWENT:	
			IBM TDB	
_	0	class adj of adj service	USPAT;	2003/03/18 16:43
		02000 000 000 000 000	EPO; JPO;	2003/03/10 10.43
			DERWENT;	
			IBM TDB	
_	1941551	class near\$3 service	USPAT;	2003/03/18 16:43
	1341331	Class Healys Service		2003/03/18 16:43
			EPO; JPO;	
			DERWENT;	
	2188		IBM_TDB	0000/00/10 15
-	2100	class adj service	USPAT;	2003/03/18 16:44
	ļ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	class48 and queu\$3 adj service	USPAT;	2003/03/18 16:44
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	747	(class adj service) and queu\$3	USPAT;	2003/03/18 16:44
			EPO; JPO;	
			DERWENT;]
			IBM TDB	
-	175	(class adj service) same queu\$3	USPAT;	2003/03/18 16:44
		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	EPO; JPO;	2003/03/10 10:44
			DERWENT;	
			IBM TDB	
_	105	(class adj service) with queu\$3	USPAT;	2002/02/10 16 44
	103	(Class ad) service, with queups	· ·	2003/03/18 16:44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_		class adj of adj service\$1	USPAT;	2003/03/18 17:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	234	(class adj service) same status	USPAT;	2003/03/18 17:04
			EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
-	5	(class adj service) near status	USPĀT;	2003/03/18 17:04
1			EPO; JPO;	111, 30, 10 1, .04
1			DERWENT;	
			IBM TDB	
-	96	(class adj service) with status	USPAT;	2003/03/18 17:06
1		\	EPO; JPO;	2003/03/10 1/:00
1	1		E .	
			DERWENT;	
_	91	((class add sorvice) with attack as	IBM_TDB	2002/02/12 17 15
	91	, the second sec	USPAT;	2003/03/18 17:16
		((class adj service) near status)	EPO; JPO;]
			DERWENT;	
	10055		IBM_TDB	
-	1883164	class\$1 near\$2 service\$1	USPĀT;	2003/03/18 17:17
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2901	class\$1 near service\$1	USPAT;	2003/03/18 17:17
			EPO; JPO;	,,,
			DERWENT;	.
			IBM TDB	
-	294	(class\$1 near service\$1) same status\$1	USPAT;	2003/03/18 17:17
		, .=====, = Solitiosyl/ Sume Statusyl	EPO; JPO;	2003/03/10 1/:1/
]		DERWENT;	i i
L	l		IBM_TDB	

-	138	((class\$1 near service\$1) same status\$1)	USPAT;	2003/03/18 17:17
		same number	EPO; JPO;	
			DERWENT;	
			IBM TDB	